


CARE BED | OPTION | WORK OUT | EXPERT

HYDROFUN®

HOME NURSING BED • SANATORIUM BED • SPECIAL HOSPITAL BED



HYDROFUN ΕΠΕ

Δ: Πάρδος Ιασίου, 12136, Περιστερί
Τ.: 210 3642 031-2
www.hydrofun.gr
info@hydrofun.net

NURSING BED PROGRAM
Solution specialist

ΝΟΣΟΚΟΜΕΙΑΚΑ ΚΡΕΒΑΤΙΑ

Ανακλινόμενα και με περιστροφή

Bring together the technology and resources of German nursing bed experts/institutes

German technology

In conjunction with the German PhysioNova brand

Germany, which entered the aging society earlier, has accumulated more experience than China in dealing with the challenges of aging. PhysioNova, a German professional nursing bed design and development company, has long recognized the quality of life problems of disabled elderly people and caregivers. After years of research and development and technical improvement, finally with their own professional for these two groups to provide effective products to improve the quality of life.



© Structural planning seminar



CBare bed production team seminar



® Exchange seminar



① Special topic on enterprise cooperation Exchange meeting



@ Customer experience product



© Nursing bed Technology Forum



CBfield visit to the sample room



© Return visit customer use condition



6^a

Full technical support from 6 German research LABS: User habit research lab, user experience research lab, etc.

13000⁺

13,000 global user data reports: before, during and after use.

46⁺

46 experience engineers, designers, mechanics engineers, material analysis engineers participated in the development of the nursing bed.

PRODUCT INTRODUCTION

Lianying Technology - Let your care is no longer difficult



Original design intention

The Linying nursing bed is specially designed for people with mobility difficulties. It can rotate and lift multi-dimensionally adjustable, which is convenient for family members to care for bedridden people. Make care more comfortable, safer and more convenient.




Address pain points

It can not only reduce the physical burden of nursing staff, improve the nursing level, but also maintain the dignity of users and promote the harmony of family relations.



Five functions

Back up, leg bending, rotation, overall lifting, guardrail removable.



Back lifting function

0-80° Adjust the back Angle, and easily let the bedridden sit up



Comfortable high and low foot flex function

Users can flex their feet to gain muscle and stretch their legs



Rotation function

Rotation direction: Left/right (convertible)



Lifting function

The whole bed can be raised and lowered electrically



Light touch remote control function

Touch the button to complete the operation, the user is effortless



Designed for long-term bedridden people

All-round care, different comfort experience

More comfortable

Rotating and lifting multi-dimensional adjustable, more flexible free adjustment function, how comfortable how to tune

A more scientific rehabilitation mechanism

Alternating between sitting and lying, and bending your legs can help improve blood circulation and stretch your leg muscles

More thoughtful spiritual comfort

The Interlocking bed gives users a sense of independence and the ability to perform simple operations without outside help

Easier for both doctors and patients

Reduce the physical burden of medical staff, improve the level of nursing, both doctors and patients are relaxed

LY-601

Electric rotary
lift nursing bed



Soft and
comfortable



Rotation
function



Lifting
function



Remote control
function



Product parameter

Mattress Size:	2050x880x120mm
Full bed size:	2270x990x520mm
Lifting height:	520-950mm
Safe working load:	170kg
Maximum user load:	135kg
Tilt Angle:	12°

Direction of rotation:	Left/right (convertible)
Whole bed control:	power-driven
Caster:	125mm
Net weight:	180kg
Voltage:	220V



LY-608

Electric rotary
lift nursing bed



Soft and
comfortable



Rotation
function



Lifting
function



Remote control
function



Product parameter

Mattress Size:	2050x880x120mm
Full bed size:	2270x990x520mm
Lifting height:	520-950mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right (convertible)
Whole bed control:	power-driven
Caster:	90mm
Net weight:	180kg
Voltage:	220V



LY-801

Semi-automatic rotary nursing bed



Soft and comfortable



Rotation function



Lifting function



Remote control function



Product parameter

Mattress Size:	2050x880x90mm
Full bed size:	2200x1000x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Manual left/right
Whole bed lifting:	Manually adjustable foot
Whole bed control:	Dual use of flash light
Net weight:	132kg
Voltage:	220V

LY-802

Electric rotary nursing bed



Soft and comfortable



Rotation function



Lifting function



Remote control function



Product parameter

Mattress Size:	2050x880x90mm
Full bed size:	2200x1000x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right (convertible)
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	132kg
Voltage:	220V



LY-803

Electric rotary nursing bed



Soft and comfortable



Rotation function



Lifting function



Remote control function



Product parameter

Mattress Size:	2050x1120x90mm
Full bed size:	2200x1200x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right (convertible)
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	146kg
Voltage:	220V

LY-8015

Electric rotary nursing bed



Soft and comfortable



Rotation function



Lifting function



Remote control function




Product parameter

Mattress Size:	2050x880x90mm
Full bed size:	2200x1000x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right (convertible)
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	132kg
Voltage:	220V





LY-806

Electric rotary nursing bed



Soft and comfortable



Rotation function



Lifting function



Remote control function

Product parameter

Mattress Size:	2050x880x90mm
Full bed size:	2200x1 000xS00 mm
Lifting height:	450-SS0mm
Safe working load:	170kg
Maximum user load:	135kg


Direction of rotation:	Left/right (convertible)
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	132kg
Voltage:	220V

LY-807

Electric rotary nursing bed

 Soft and comfortable

 Rotation function

 Lifting function

 Remote control function



Product parameter

Mattress Size:	2050x880x90mm
Full bed size:	2200x1000x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right (convertible)
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	132kg
Voltage:	220V





LY-808
Electric rotary nursing bed

- Soft and comfortable
- Rotation function
- Lifting function
- Remote control function

Product parameter

Mattress Size:	2050x880x90mm
Full bed size:	2200x1000x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right (convertible)
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	
Voltage:	

LY-201

Double rotating nursing bed



Soft and comfortable




Rotation function



Lifting function



Remote control function



Product parameter

Mattress Size:	2050x1760x90mm
Full bed size:	2200x1800x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right/bilateral
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	214kg
Voltage:	220V

LY-202

Double rotating nursing bed



Soft and comfortable



Rotation function



Lifting function



Remote control function



Product parameter

Mattress Size:	2050x1760x90mm
Full bed size:	2200x1800x500mm
Lifting height:	450-550mm
Safe working load:	170kg
Maximum user load:	135kg

Direction of rotation:	Left/right/bilateral
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven
Net weight:	214kg
Voltage:	220V





LY-S01

Electric nursing bed



Soft and comfortable




Lifting function



Remote control function

Product parameter

Full bed size:	2160x1000x500mm
Lifting height:	450-550mm
Whole bed lifting:	Manually adjustable foot
Whole bed control:	power-driven



Hand LY-S01

Bed size: 2000*570*960mm



Hand LY-S02

Bed size: 2000*570*960mm



Hand LY-S06

Bed size: 2000*570*960mm

LY-YWJ02

Electric shifter

- The electric shifter is mainly a nursing device to help disabled people move without obstacles, and is used for disabled people or users to move short distances and rehabilitation care.
- Through the control button one rise one fall one shift, the nursing staff can easily achieve the transfer of patients.
- Scope of application: hospital bed, toilet, living room, outdoor and other places barrier-free movement.



Product parameter

Overall dimensions:	518*725*980mm
Lifting range:	250-330mm
Machine weight:	28.5kg
Load weight:	◆135kg
Rated power:	96w/2A
Charging requirements:	Dedicated adapter charging



LY-L01

Electric wheelchair

- The electric wheelchair is operated by an electric controller and can also be carried out manually with daily companionship
- Foldable, weighs 18KG, small volume, put into the car trunk, does not take up space
- At home, go to the park supermarket, take the subway, take the plane..... Multi-scenario application
- 10-20Km range



KMINI

Electric wheelchair



Product parameter

Expansion size:	900x570x860mm	Maximum load:	100kg
Folding size:	630x570x460mm	Battery capacity:	10Ah/20Ah
Seat height:	510mm	Driving range:	10km/20km
Maximum speed:	6km/h	Seat Width:	400mm
Obstacle height:	◆4cm	Seat Depth:	410mm
Maximum climbing capacity:	9°	Vehicle net weight:	◆18kg (Battery free)

Expansion size:	1150x580x1000mm (Headrest not included)	Maximum load:	100kg
Seat height:	440mm (Seat cushion not included)	Battery capacity:	15Ah/30Ah
Maximum speed:	6km/h	Driving range:	20km/40km
Obstacle height:	◆8cm	Seat Width:	450mm
Ditch width:	◆18cm	Seat Depth:	420mm
Maximum climbing capacity:	15°	Vehicle net weight:	60kg